CORRECTION Open Access



Correction: An interrater reliability study of gait analysis systems with the dual task paradigm in healthy young and older adults

Thomas Jürgen Klotzbier^{1*}, Bettina Wollesen^{2,3}, Oliver Vogel², Julian Rudisch⁴, Thomas Cordes², Thomas Jöllenbeck^{5,6} and Lutz Voqt⁷

Correction: Eur Rev Aging Phys Act 18, 17 (2021) https://doi.org/10.1186/s11556-021-00271-z

In the publication of the original article [1] the authors state that the GaitUp system does not allow access to the raw data: "[...] the algorithms of GaitUp are difficult to comprehend because the raw data cannot be accessed" (page 2) and "[...] GaitUp does not allow access to the raw data, so the data cannot be extracted or analyzed independently (page 9).

Since the Physilog 5 launch in 2017, GaitUp has provided the free "Research Toolkit" to its users. This has always been a free on-demand service for all customers (who are only equipped with Physilog 5 or related products such as the gait analysis system used in our study which was acquired from the University of Paderborn in 2018). Therefore, our statement that the raw data of the acceleration values cannot be accessed, extracted, or analyzed is not correct.

For this reason, the false statements have been deleted and the original article [1] has been updated.

Author details

¹Department of Sport and Exercise Science, University of Stuttgart, Allmandring 28, 70569 Stuttgart, Germany. ²Department of Human Movement Science, University of Hamburg, Mollerstraße 10, 20148 Hamburg, Germany. ³Biological Psychology and Neuroergonomics, TU Berlin, Fasanenstr. 1, 10623 Berlin, Germany. ⁴Department of Neuromotor Behavior and Exercise, Institute of Sport and Exercise Sciences, University of Münster, Horstmarer Landweg 62B, 48149 Münster, Germany. ⁵Institute for Biomechanics, Clinic Lindenplatz, Weslarner Str. 29, 59505 Bad Sassendorf, Germany. ⁵Department of Exercise & Health, University of Paderborn, Warburger Straße 100, 33098 Paderborn, Germany. ⁷Department of Sports Medicine, Goethe University Frankfurt am Main, Ginnheimer Landstr. 39, 60487 Frankfurt, Germany.

Published online: 05 October 2022

Reference

 Klotzbier TJ, Wollesen B, Vogel O, et al. An interrater reliability study of gait analysis systems with the dual task paradigm in healthy young and older adults. Eur Rev Aging Phys Act. 2021;18:17. https://doi.org/10.1186/ s11556-021-00271-z.

The original article can be found online at https://doi.org/10.1186/s11556-021-00271-z.

*Correspondence: thomas.klotzbier@inspo.uni-stuttgart.de

¹ Department of Sport and Exercise Science, University of Stuttgart, Allmandring 28, 70569 Stuttgart, Germany Full list of author information is available at the end of the article



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/loublicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data